

Clean Stairs and Bleachers with Ease!

Bringing Small Orbital Cleaning to All Areas. Why Look Anywhere Else?

HANDMADE IN THEUSA



ERGONOMIC HANDLE OPERATOR EASE WHILE HANDLING

EASY DISCONNECT QUICKLY DISCONNECT ELECTRICAL FOR TRANSPORT HEAVY DUTY CASING THICK POLY CASES THE MOTOR FOR PROTECTION

> WEIGHTS FOR DEEP CLEANING UNDERNEATH THE CASING ARE HD WEIGHTS TO ALLOW HIGH PSI CLEANING

DUAL HANDLE MOUNTING EASY SPRING LATCH RELEASE ALUMINUM PLATE WEAR AND CORROSION RESISTANT

(€ 🖲 🏵





Scan This QR Code With Your Phone For More Information

www.tomcatequip.com 1(800) 450-9824 (+001) 262-681-6470



Surface Preparation Technolog

BODY CONSTRUCTION / DIMENSIONS

Chassis Construction: Scrub Head Size $(L \times W \times H)$: Handlebar Size (L × Diameter): Weight: **BRUSH / PAD SYSTEM**

Dimensions: Motor Power:

Motor Speed: Current Draw:

POWER SYSTEM:

System Voltage: Cord Length:

GENERAL: Cleaning Path:

Sound Level: Vibration at Base: Vibration at Handle:

10 Gauge Steel (3 mm) 9.75" × 4" × 6.25" (25 × 10 × 16 cm) 51.25" × 1" (130 × 3 cm) 22 lbs (10 kg)

10.5" × 5.25" (27 x 13 cm) .33 hp (246 watts) 4,100 rpm 1.2 amps (@120 VAC / 60 Hz)

120 VAC / 50-60 Hz (240 VAC / 50-60 Hz) 30 ft / 18 Gauge (9 m / 1 mm)

10.5" (27 cm)

Under 57 dBA Avg. 6.5 mm/s², MAX @ 6.8 mm/s² (Avg. 5.8 mm/s², MAX @ 6.0 mm/s²) 2.13 mm/s² (Passed **C** € Requirements)

Optional Baseboard Cart for:

- Cleaning of grout lines in baseboard
- Stripping residual baseboard finish
- Cleaning of stairs

Order as an option:

NANO-5000





